

SEP 22 2006
O I P E IAP88
PATENT & TRADEMARK OFFICE

caf~~e~~

Certificate
SEP 27 2006
of Correction

)

$$\vdots$$

)

•

)

$$\vdots$$

)

:

)

•

)

:

)

:

)

September 21, 2006

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

102.00 09

SEP 28 2006

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

NY_Main 591726v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 1 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

U.S. Patent Documents, "5,840,755 A 11/1998 Liedtke" should read
--5,480,755 A 1/1996 Uchiyama et al.--.

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents, "FOREIGN PATENT DOCUMENTS" should read


--JP	54-086341	7/1979
JP	55-18656	2/1980
JP	56-142540	11/1981
JP	57-151952	9/1982
JP	59-168458	9/1984
JP	59-200254	11/1984
JP	59-200256	11/1984
JP	59-200257	11/1984
JP	59-224102	12/1984
JP	60-3181	1/1985
JP	60-12554	1/1985
JP	60-69660	4/1985
JP	61-141452	6/1986
JP	61-249059	11/1986
JP	61-275864	12/1986
JP	62-258472	11/1987
JP	63-149669	6/1988
JP	63-250660	10/1988

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 2 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

JP	2-111962	4/1990
JP	2-120865	5/1990
JP	4-9860	1/1992
JP	4-264453	9/1992
JP	5-66608	3/1993
JP	5-150539	6/1993
JP	5-346682	12/1993
JP	7-99442	10/1995
JP	10-239897	9/1998
JP	10-307421	11/1998
JP	10-307455	11/1998
JP	10-307456	11/1998
JP	10-307457	11/1998
JP	10-307458	11/1998--.

COLUMN 2:

Line 10, "uses," should read --use,--.

COLUMN 3:

Line 62, "mechanism" should read --mechanisms--.

COLUMN 5:

Line 41, "to" should read --to be--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)
NY_Main 591726v1

28 2006

→

SEP 28 2006

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 3 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10:

Line 36, "then" should read --than--; and

Line 47, "bond's" should read --bonds--.

COLUMN 11:

Line 25, "member," should read --member--; and

Line 31, "image-bearing" should read --image-bearing--.

COLUMN 13:

Line 7, "particles)," should read --particles,--.

COLUMN 20:

Line 32, "Fischer-Tiropsch" should read --Fischer-Tropsch--.

COLUMN 21:

Line 57, "3-28 m¹/g," should read --3-28 m²/g,--.

COLUMN 24:

Line 27, "photographic" should read --photographed--;

Line 49, "is" should read --is from the--;

Line 50, "apparatus" should read --apparatus and--;

Line 51, "avid" should read --avoid--; and

Line 64, "recover" should read --recovery--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

NY_Main 591726v1



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 4 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30:

Line 21, "due" should read --due to--.

COLUMN 31:

Line 6, "it" should read --it is--;

Line 18, "10-200,000 mm²/d," should read --10-200,000mm²/sec,--;

Line 19, "S." should read --sec.--; and

Line 22, "200,000 mm/sec," should read --200,000mm²/sec,--.

COLUMN 32:

Line 44, "a" should read --an--.

COLUMN 33:

Line 45, "using a" should read --using--; and

Line 56, "an" should read --and--.

COLUMN 35:

Line 35, "image-baring" should read --image-bearing--; and

Line 63, "image-baring" should read --image-bearing--.

COLUMN 36:

Line 19, "image bearing" should read --image-bearing--; and

Line 66, "react" should read --react to--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

28 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 5 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 39:

Line 13, "sing" should read --using--;
Line 17, "added" should read --added with--;
Line 24, "Coulter counter" should read --COULTER COUNTER--;
Line 47, "Preferring" should read --Referring--; and
Line 51, "30b" should read --308b--.

COLUMN 42:

Line 13, "charting" should read --charging--.

COLUMN 44:

Line 10, "a" should be deleted.

COLUMN 46:

Line 66, "voltage, wave-" should read --voltage wave---.

COLUMN 47:

Line 22, "constraint" should read --constrained--; and
Line 48, "saturatio" should read --saturation--.

COLUMN 48:

Line 15, "preferred" should read --preferred to--; and
Line 51, "an" should read --a--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 6 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 49:

Line 23, "polychloroifluoroethylene," should read
--polychlorofluoroethylene,--;
Line 28, "ironically" should read --ionically--; and
Line 65, "injection-barrier" should read --injection-barrier--.

COLUMN 52:

Line 42, "bismuth," should read --bismuth (Bi),--; and
Line 65, "PI3;" should read --PI₃--.

COLUMN 53:

Line 41, "halogen (X)" should read --halogen (X)--.

COLUMN 54:

Line 3, "becomes possible" should read --becomes--; and
Line 46, "possible" should read --possible to--.

COLUMN 56:

Line 25, "may" should read --may be--;
Line 52, "may be" should read --may--; and
Line 63, "point" should read --points--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

8 2006



Form PTO 1050 (Rev. 3-82)

NY_Main 591726v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 7 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 57:

Line 40, "2" should be deleted; and
Line 53, "at center line" should read --as center line--.

COLUMN 58:

Line 22, "vinyl resin" should read --vinyl resin,--;
Line 27, "an" should read --and--;
Line 41, "10⁻⁶ ohm.cm," should read --10⁶ ohm.cm,--; and
Line 42, "10⁻⁶ ohm.cm." should read --10⁶ ohm.cm.--.

COLUMN 59:

Line 6, "formula]" should read --formula:--;
Line 29, "power" should read --powder--;
Line 38, "fol-" should be deleted;
Line 39, "lowability" should read --flowability--; and
Line 51, "be" should be deleted.

COLUMN 60:

Line 1, "collapsion" should read --the collapse--; and
Line 63, "(clearless" should read --(cleanerless--.

COLUMN 62:

Line 47, "member 1," should read --member 1,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

SEP 28 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 8 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 63:

Line 52, "ozonless-type" should read --ozoneless-type--.

COLUMN 64:

Line 64, "causitic" should read --caustic--.

COLUMN 65:

Line 5, "power 1." should read --powder 1.--;

Line 56, "wax" should read --was--; and

Line 61, "power 1." should read --powder 1.--.

COLUMN 66:

Line 46, " $\geq 5\mu\text{m}$ " should read --($D \geq 5\mu\text{m}$)--; and

Line 47, "Rs 100 ohm.cm," should read --Rs=100 ohm.cm,--.

COLUMN 68:

Line 15, "(monoazodye" should read --(monoazo dye--; and

Line 38, "Toner 13)" should read --Toner 13>--.

COLUMN 71:

Line 22, "1pm" should read -- $1\mu\text{m}$ --; and

Line 60, "(105 14Hz)" should read --(105 MHz)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

NY_Main 591726v1



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 9 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 74:

Line 14, "-400 vols" should read ---400 volts--;

Line 37, "bis" should read --bias--; and

Line 58, "aral" should read --areal--.

COLUMN 75:

Line 6, " $\geq < 1.00$ " should read --< 1.00--.

COLUMN 77:

Line $VA_C=0.5$, "" should read --Vac=0.5--.

COLUMN 78:

Table 3, "Intial" should read --Initial--.

COLUMN 79:

Table 3, "Intial" should read --Initial--; "46" (in Example 13) should read --45--; and "O" (in comp. g) should read --D--..

COLUMN 82:

Table 4, "Px10³" should read --Px10⁴--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 10 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 84:

Line 33, "image bearing" should read --image-bearing--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

NY_Main 591726v1



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 1 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE [56] REFERENCES CITED:

U.S. Patent Documents, "5,840,755 A 11/1998 Liedtke" should read
--5,480,755 A 1/1996 Uchiyama et al.--.

ON THE TITLE PAGE [56] REFERENCES CITED:

Foreign Patent Documents, "FOREIGN PATENT DOCUMENTS" should read

--JP	54-086341	7/1979
JP	55-18656	2/1980
JP	56-142540	11/1981
JP	57-151952	9/1982
JP	59-168458	9/1984
JP	59-200254	11/1984
JP	59-200256	11/1984
JP	59-200257	11/1984
JP	59-224102	12/1984
JP	60-3181	1/1985
JP	60-12554	1/1985
JP	60-69660	4/1985
JP	61-141452	6/1986
JP	61-249059	11/1986
JP	61-275864	12/1986
JP	62-258472	11/1987
JP	63-149669	6/1988
JP	63-250660	10/1988

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

2 8 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 2 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

JP	2-111962	4/1990
JP	2-120865	5/1990
JP	4-9860	1/1992
JP	4-264453	9/1992
JP	5-66608	3/1993
JP	5-150539	6/1993
JP	5-346682	12/1993
JP	7-99442	10/1995
JP	10-239897	9/1998
JP	10-307421	11/1998
JP	10-307455	11/1998
JP	10-307456	11/1998
JP	10-307457	11/1998
JP	10-307458	11/1998--.

COLUMN 2:

Line 10, "uses," should read --use,--.

COLUMN 3:

Line 62, "mechanism" should read --mechanisms--.

COLUMN 5:

Line 41, "to" should read --to be--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 3 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 10:

Line 36, "then" should read --than--; and

Line 47, "bond's" should read --bonds--.

COLUMN 11:

Line 25, "member," should read --member--; and

Line 31, "image-bearing" should read --image-bearing--.

COLUMN 13:

Line 7, "particles)," should read --particles,--.

COLUMN 20:

Line 32, "Fischer-Tiropsch" should read --Fischer-Tropsch--.

COLUMN 21:

Line 57, "3-28 m¹/g," should read --3-28 m²/g,--.

COLUMN 24:

Line 27, "photographic" should read --photographed--;

Line 49, "is" should read --is from the--;

Line 50, "apparatus" should read --apparatus and--;

Line 51, "avid" should read --avoid--; and

Line 64, "recover" should read --recovery--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

SEP 28 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 4 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 30:

Line 21, "due" should read --due to--.

COLUMN 31:

Line 6, "it" should read --it is--;

Line 18, "10-200,000 mm²/d," should read --10-200,000mm²/sec,--;

Line 19, "S." should read --sec.--; and

Line 22, "200,000 mm/sec," should read --200,000mm²/sec,--.

COLUMN 32:

Line 44, "a" should read --an--.

COLUMN 33:

Line 45, "using a" should read --using--; and

Line 56, "an" should read --and--.

COLUMN 35:

Line 35, "image-baring" should read --image-bearing--; and

Line 63, "image-baring" should read --image-bearing--.

COLUMN 36:

Line 19, "image bearing" should read --image-bearing--; and

Line 66, "react" should read --react to--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 5 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 39:

Line 13, "sing" should read --using--;
Line 17, "added" should read --added with--;
Line 24, "Coulter counter" should read --COULTER COUNTER--;
Line 47, "Preferring" should read --Referring--; and
Line 51, "30b" should read --308b--.

COLUMN 42:

Line 13, "charting" should read --charging--.

COLUMN 44:

Line 10, "a" should be deleted.

COLUMN 46:

Line 66, "voltage, wave-" should read --voltage wave---.

COLUMN 47:

Line 22, "constraint" should read --constrained--; and
Line 48, "saturatio" should read --saturation--.

COLUMN 48:

Line 15, "preferred" should read --preferred to--; and
Line 51, "an" should read --a--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 6 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 49:

Line 23, "polychloroifluoroethylene," should read
--polychlorofluoroethylene,--;
Line 28, "ironically" should read --ionically--; and
Line 65, "injection-barrier" should read --injection-barrier--.

COLUMN 52:

Line 42, "bismuth," should read --bismuth (Bi),--; and
Line 65, "PI3;" should read --PI₃;--.

COLUMN 53:

Line 41, "halogen (X)" should read --halogen (X)--.

COLUMN 54:

Line 3, "becomes possible" should read --becomes--; and
Line 46, "possible" should read --possible to--.

COLUMN 56:

Line 25, "may" should read --may be--;
Line 52, "may be" should read --may--; and
Line 63, "point" should read --points--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 7 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 57:

Line 40, "2" should be deleted; and

Line 53, "at center line" should read --as center line--.

COLUMN 58:

Line 22, "vinyl resin" should read --vinyl resin,--;

Line 27, "an" should read --and--;

Line 41, "10⁻⁶ ohm.cm," should read --10⁶ ohm.cm,--; and

Line 42, "10⁻⁶ ohm.cm." should read --10⁶ ohm.cm.--.

COLUMN 59:

Line 6, "formula]" should read --formula:--;

Line 29, "power" should read --powder--;

Line 38, "fol-" should be deleted;

Line 39, "lowability" should read --flowability--; and

Line 51, "be" should be deleted.

COLUMN 60:

Line 1, "collapsion" should read --the collapse--; and

Line 63, "(clearless" should read --(cleanerless--.

COLUMN 62:

Line 47, "member 1," should read --member 1,--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

NY_Main 591726v1



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 8 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 63:

Line 52, "ozonless-type" should read --ozoneless-type--.

COLUMN 64:

Line 64, "causitic" should read --caustic--.

COLUMN 65:

Line 5, "power 1." should read --powder 1.--;
Line 56, "wax" should read --was--; and
Line 61, "power 1." should read --powder 1.--.

COLUMN 66:

Line 46, " $\geq 5\mu\text{m}$ " should read --($D \geq 5\mu\text{m}$)--; and
Line 47, "Rs 100 ohm.cm," should read --Rs=100 ohm.cm,--.

COLUMN 68:

Line 15, "(monoazodye" should read --(monoazo dye--; and
Line 38, "Toner 13)" should read --Toner 13>--.

COLUMN 71:

Line 22, "1pm" should read -- $1\mu\text{m}$ --; and
Line 60, "(105 14Hz)" should read --(105 MHz)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 9 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 74:

Line 14, "-400 vols" should read ---400 volts--;
Line 37, "bis" should read --bias--; and
Line 58, "aral" should read --areal--.

COLUMN 75:

Line 6, " $\geq < 1.00$ " should read --< 1.00--.

COLUMN 77:

Line $VA_C=0.5$, "" should read --Vac=0.5--.

COLUMN 78:

Table 3, "Intial" should read --Initial--.

COLUMN 79:

Table 3, "Intial" should read --Initial--; "46" (in Example 13) should read --45--;
and "O" (in comp. g) should read --D--.

COLUMN 82:

Table 4, "Px10³" should read --Px10⁴--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

SEP 28 2006



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 7,043,175 B2

DATED : May 9, 2006

INVENTOR(S) : KEIJI KOMOTO ET AL.

Page 10 of 10

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 84:

Line 33, "image bearing" should read --image-bearing--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,043,175 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

NY_Main 591726v1

